

State of Nevada

Department of Conservation and Natural Resources
Division of Environmental Protection

Certifies that

Inter-Mountain Laboratories

1673 Terra Ave Sheridan, WY 82801-

Having met the requirements of the
Nevada Administrative Code: NAC 445A

*is hereby approved to perform the analyses as indicated on the most recently issued
parameter list which must accompany this certificate to be valid. It is the certified
laboratory's responsibility to provide their client the most current certified
parameter list. Contact LCP to verify certification status.*

Expiration Date: 7/31/2018

Certificate Number: WY000052018-1

Donald LaFara, Program Manager, 08/08/2017

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|--|------------|--------------|-----------|
| Discipline: Chemistry | | | | |
| EPA 1631E | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1664A | n-Hexane Extractable Material (O&G) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1664A (SGT-HEM) | n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Lithium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Phosphorus, total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Scandium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Silica as SiO ₂ | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Strontium | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|-----------------------------|------------|--------------|-----------|
| EPA 200.7 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Bismuth | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Gallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Uranium (Chemical or Metal) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 245.1 | Mercury | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|--|---------------------------------|------------|--------------|-----------|
| EPA 300.0 | Chloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Fluoride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrate as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrate-nitrite | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrite as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Orthophosphate as P | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Sulfate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 335.4 | Cyanide, Total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 350.1 | Ammonia as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 351.2 | Kjeldahl nitrogen - total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrate as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrate-nitrite | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrite as N | 8/1/2017 | 7/31/2018 | Certified |
| OIA 1677 | Cyanide, Available | 8/1/2017 | 7/31/2018 | Certified |
| SM 2310 B | Acidity, as CaCO ₃ | 8/1/2017 | 7/31/2018 | Certified |
| SM 2320 B | Alkalinity as CaCO ₃ | 8/1/2017 | 7/31/2018 | Certified |
| SM 2340 B | Hardness by calculation | 8/1/2017 | 7/31/2018 | Certified |
| SM 2510 B | Conductivity | 8/1/2017 | 7/31/2018 | Certified |
| SM 2540 C | Residue-filterable (TDS) | 8/1/2017 | 7/31/2018 | Certified |
| SM 2540 D | Residue-nonfilterable (TSS) | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-CN ⁻ I,E | Cyanide, WAD | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-F ⁻ C | Fluoride | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-H+ B | pH | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-P E | Orthophosphate as P | 8/1/2017 | 7/31/2018 | Certified |
| SM 5310 B | Total organic carbon | 8/1/2017 | 7/31/2018 | Certified |
| Total Nitrogen by Calc (NO ₂ + NO ₃ + TKN) | Total Nitrogen | 8/1/2017 | 7/31/2018 | Certified |

Discipline: Radiochemistry

| | | | | |
|--------------------|-------------|----------|-----------|-----------|
| EPA Ra-05 (GPC) | Radium-228 | 8/1/2017 | 7/31/2018 | Certified |
| GA Tech Ra-226/228 | Radium-228 | 8/1/2017 | 7/31/2018 | Certified |
| SM 7110 B (GPC) | Gross-alpha | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation

EPA Number: **WY00005**


Attachment to Certificate Number: **WY000052018-1**

Expiration Date: **7/31/2018**

Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Matrix: **CWA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|--------------------|--------------|------------|--------------|-----------|
| SM 7110 B (GPC) | Gross-beta | 8/1/2017 | 7/31/2018 | Certified |
| SM 7500-Ra B (GPC) | Radium-226 | 8/1/2017 | 7/31/2018 | Certified |
| SM 7500-Ra B (GPC) | Total radium | 8/1/2017 | 7/31/2018 | Certified |



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation


EPA Number: **WY00005**
 Inter-Mountain Laboratories
 1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: **WY000052018-1**

Expiration Date: **7/31/2018**

Matrix: **Mining (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|------------------------|------------|--------------|-----------------|
| Discipline: Chemistry | | | | |
| ASTM D1498 | Redox Potential (ORP) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.2 | Acid digest for metals | 8/1/2017 | 7/31/2018 | Nevada Approved |



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: *Mining (Solid & Waste Materials)*

| Method | Analyte | Start Date | Date Expires | Status |
|---|---|------------|--------------|-----------------|
| Discipline: Chemistry | | | | |
| ASTM C1308-08 | Diffusive Releases - Leach Rates & Computer Modeling | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM D5744-13 | Weathering Products of Solid Materials | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM D7572-11 | Cyanide Extraction Fluid from Soils and Mine Rock | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM E2242-13 | MWMP Fluid (WITHOUT bottle roll option) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM E2242-13 Appendix X1.2 | MWMP Fluid (FROM bottle roll option_Non Percolating Material) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM E2242-13 Appendix X1.3 | MWMP Fluid (FROM bottle roll option_Fine Grained Material) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.2_NV Modified | Paste pH | 8/1/2017 | 7/31/2018 | Certified |
| EPA 600/2-78-054, section 3.2.3_NV Modified | ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.3_NV Modified | ANP by Titration to phenolphthalein end point (without oxidation) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.4_NV Modified | Total Sulfur (High Temp. Combustion Method) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 600/2-78-054, section 3.2.6_NV Modified | HCl Extractable Sulfur | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.6_NV Modified | HNO3 Extractable Sulfur | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.6_NV Modified | Hot Water Extractable Sulfur | 8/1/2017 | 7/31/2018 | Nevada Approved |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|-------------------|------------|--------------|-----------|
| Discipline: Chemistry | | | | |
| EPA 6010 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lithium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Phosphorus, total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Barium | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--------------------------------|------------|--------------|-----------|
| EPA 6020 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Uranium (Chemical or Metal) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7470 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Diesel range organics (DRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Gasoline range organics (GRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Benzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Ethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Gasoline range organics (GRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | m+p-xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl tert-butyl ether (MTBE) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Naphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | o-Xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Toluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Xylene (total) | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: WY00005
Inter-Mountain Laboratories
1673 Terra Ave Sheridan, WY 82801-

Attachment to Certificate Number: WY000052018-1

Expiration Date: 7/31/2018

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|--------------------------------|------------|--------------|-----------------|
| Discipline: Chemistry | | | | |
| EPA 1311-Metals | TCLP extracted Metals | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1312-Metals | SPLP extracted Metals | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 3050 | Acid digest for metals | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 6010 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7471 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Diesel range organics (DRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Gasoline range organics (GRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Benzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Ethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Gasoline range organics (GRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | m+p-xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl tert-butyl ether (MTBE) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Naphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | o-Xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Toluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Xylene (total) | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.