



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 27, 2015

Re: Inter-Mountain Labs (WY00005)

MICHELLE LAGORY
INTER-MOUNTAIN LABS
1673 TERRA AVENUE
SHERIDAN WY 82801

Dear Michelle:

I have received documentation from Stacy Ellwanger supporting full certification for the contaminants and methods below. I have also made corrections to radium 226-228 methods. Certification will expire as reflected in the chart below.

REGULATED INORGANICS	CERTIFICATION GRANTED FOR:	CERTIFICATION EXPIRATION:
Antimony	200.8	07/01/2017
Arsenic	200.8	07/01/2017
Barium	200.7, 200.8	07/01/2017
Beryllium	200.7, 200.8	07/01/2017
Cadmium	200.7, 200.8	07/01/2017
Chromium	200.7, 200.8	07/01/2017
Copper	200.7, 200.8	07/01/2017
Cyanide	335.4, OIA1677	07/01/2017
Fluoride	300.0, SM4500FC	07/01/2017
Lead	200.8	07/01/2017
Mercury	245.1	07/01/2017
Nitrate	300.0, 353.2	07/01/2017
Nitrite	300.0, 353.2	07/01/2017
Selenium	200.8	07/01/2017
Thallium	200.8	07/01/2017
RADIOLOGICALS	CERTIFICATION GRANTED FOR:	CERTIFICATION EXPIRATION:
Gross alpha	SM7110B	07/01/2017
Gross beta	SM7110B	07/01/2017
Radium-226	SM7500RaB	07/01/2017
Radium-228	Georgia Tech	07/01/2017
Uranium	200.8	07/01/2017

Continued certification is dependent upon acceptable annual proficiency testing studies. Please forward the annual PT results to me. In addition, you must provide notification of any major changes that could affect analysis capability.

We reserve the right to perform our own unannounced, on-site visit at your expense. The state of South Dakota does not grant provisional certification for out-of-state laboratories. In other words, if EPA downgrades a fully certified contaminant/method, South Dakota will decertify Inter-Mountain Labs for that same contaminant/method.

Sincerely,

A handwritten signature in cursive script that reads "Barbara Friedeman".

Barbara Friedeman
Drinking Water Program
Phone: 605-773-4052
Barbara.friedeman@state.sd.us

Cc: Stacy Ellwanger, Chemistry Certification Officer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

**State of South Dakota
Department of Environment and Natural Resources**


Certifies That


Inter-Mountain Laboratories, Inc.-Sheridan, WY

is approved as certified to perform the analyses of drinking water samples on the certified parameter/method chart, which must accompany this certificate to be valid, having duly met the requirements of

ARSD 74:04:07

Expires July 1, 2017




Barbara Friedeman, Environmental Scientist